

SATSUMA WATER AND SEWER DEPARTMENT

BREAK LEAK ADJUSTMENT

POLICY: A ONE-TIME CREDIT WILL BE ALLOWED WITHIN A 12-MONTH PERIOD IF THE CUSTOMER CAN DEMONSTRATE THAT THE EXCESSIVE WATER DID NOT ENTER THE SEWER SYSTEM. WE CANNOT ADJUST WATER USAGE; WE CAN ONLY ADJUST THE SEWER USAGE OF YOUR BILL. THE CUSTOMER MUST REQUEST ABATEMENT IN WRITING WITHIN 60 DAYS OF THE DATE OF THE EXCESSIVE BILL. **YOU MUST PROVIDE A RECEIPT OF REPAIRS OR PARTS USED TO BE CONSIDERED FOR A LEAK ADJUSTMENT SEWER CREDIT.**

DATE: _____ NAME: _____

SERVICE ADDRESS: _____

CUSTOMER PHONE: _____ CUSTOMER CELL: _____

KIND OF LEAK & HOW REPAIRED: _____

LOCATION OF LEAK: _____

DATE LEAK WAS DETECTED: _____ DATE LEAK WAS REPAIRED: _____

NAME AND NUMBER OF PERSON WHO MADE THE REPAIRS: _____

CUSTOMER SIGNATURE: _____

RECOMMENDATION OF BOARD OF DIRECTORS

.....

APPROVED: _____

DENIED: _____

SEWER ADJUSTMENT AMOUNT: \$ _____

COMMENTS: _____
